

Fig. 1




Fig. 2




Fig. 3




Fig. 4a




Fig. 4b




Fig. 4c




Fig. 4d




Fig. 4e



The result of the partitioned context matching system is a set of candidate matches where each match contains a value extracted from the value window between a begin indicator offset and an end alignment offset. The match is assigned a score based upon the edit distance of its pre- and post-context patterns in addition to special (optional) scoring of the value itself.

Fig. 4f

Fig. 5




Fig. 6

<TD> Description : Deluxe Snow Shovel <TD> Price : \$ 7 . 99 <TD> SKU : 45893 <TD> SPECIAL </TD>

	;		_	_		1
	0	-	2	2	3	
	0	-	-	2	3	
	0	0	-	2	77	
	0	1	2	/	7	
	0	1	-	Z	Z	
	0	-	9	1	2	
	0	J	1	2	3	
	0	_	2	3	4	
	0	-	7	3	4	
	0	_	7	3	3	
	-	_	2	2	67	
	0	_	7	_	2	
		-	-	1	=	
	0	-	1	2	3	
	0	0	. 1	2	3	
	0	-	2	3	4	
- 1		\dashv	-	-	-	
	0	-	7	3	4	
	0	-	2	3	4	
	0	-		+	-	
		\neg				
	0					
-		4	4	4	_	
	9			-		
	0		1			
•	1	ê	SKU		345671	

Fig. 7